

# RPM Performance

3202 S. East St.  
Indianapolis, IN 46227  
317-222-6203

DYNomite Test Run: RPM Performance #295 on 2013-05-15 @ 13-34-04

Date: 5/15/2013

Correction Method: Standard

Notes: Engine Dyno

Sec (Seconds)	RPM (RPM)	Hp (Hp)	Torque (ft-lb)	BSFC (lb/Hp-hr)	AFR 1 (Degree F)	AFR 2 (Degree F)
0.000	2510	232.8	487.2	0.517	13.66	13.28
0.100	2500	230.7	484.5	0.521	13.53	13.16
0.200	2490	228.7	482.4	0.524	13.73	13.27
0.300	2482	227.2	480.9	0.525	13.96	13.40
0.400	2475	226.3	480.2	0.526	13.88	13.33
0.500	2471	226.0	480.2	0.526	14.00	13.18
0.600	2469	225.8	480.2	0.526	14.13	13.01
0.700	2468	225.6	480.1	0.526	14.13	12.87
0.800	2469	225.7	480.0	0.525	14.06	12.80
0.900	2475	226.3	480.4	0.522	13.69	12.87
1.001	2487	228.1	481.8	0.518	13.44	12.84
1.101	2510	231.3	484.0	0.511	13.46	12.73
1.201	2542	235.4	486.4	0.504	13.42	12.65
1.301	2584	240.5	488.9	0.494	13.18	12.46
1.401	2637	247.1	492.1	0.483	13.14	12.29
1.501	2698	255.0	496.5	0.469	13.16	12.47
1.601	2772	265.1	502.4	0.453	12.94	12.63
1.701	2854	276.7	509.3	0.437	12.69	12.75
1.801	2937	288.6	516.1	0.424	12.30	12.77
1.901	3020	300.3	522.3	0.413	11.92	12.51
2.002	3091	310.4	527.4	0.405	11.72	12.24
2.102	3151	318.9	531.4	0.399	11.78	12.15
2.202	3207	326.5	534.7	0.395	11.98	12.24
2.302	3255	332.9	537.2	0.393	12.10	12.34
2.402	3305	339.1	538.8	0.391	12.08	12.24
2.502	3355	344.6	539.4	0.391	11.93	12.13
2.602	3402	349.4	539.4	0.392	11.71	12.10
2.702	3449	354.1	539.2	0.394	11.56	12.06
2.802	3492	359.0	539.9	0.397	11.61	12.08
2.902	3539	365.1	541.9	0.398	11.94	12.27
3.003	3591	372.6	545.0	0.398	12.26	12.46
3.108	3647	380.9	548.5	0.395	12.27	12.54
3.208	3702	389.2	552.2	0.392	12.08	12.65
3.308	3753	397.1	555.7	0.389	12.05	12.74
3.408	3800	404.8	559.5	0.387	12.17	12.77
3.508	3848	413.0	563.7	0.385	12.33	12.78
3.608	3890	420.5	567.7	0.384	12.47	12.89
3.708	3932	427.9	571.6	0.385	12.60	12.98
3.808	3971	434.9	575.1	0.386	12.56	13.06
3.908	4008	441.3	578.2	0.388	12.31	13.03
4.009	4047	447.7	581.0	0.390	12.07	12.91
4.109	4083	453.4	583.2	0.390	12.23	12.95
4.209	4121	459.2	585.2	0.389	12.30	13.30
4.309	4161	465.4	587.4	0.388	12.13	13.50
4.409	4199	471.2	589.5	0.388	12.07	13.54
4.509	4238	477.3	591.5	0.388	12.17	13.61
4.609	4274	482.6	593.1	0.389	12.58	13.51
4.709	4306	487.2	594.2	0.390	12.81	13.36
4.809	4339	491.8	595.3	0.393	12.65	13.41
4.909	4369	496.2	596.4	0.395	12.50	13.22
5.010	4404	501.3	597.9	0.397	12.42	13.14
5.110	4442	506.9	599.3	0.398	12.39	13.05
5.210	4481	512.2	600.3	0.398	12.51	12.83
5.310	4525	517.7	600.9	0.398	12.46	12.81
5.410	4564	522.2	601.0	0.398	12.50	12.90
5.510	4601	526.3	600.8	0.399	12.73	12.94
5.610	4636	530.1	600.6	0.402	12.82	12.95
5.710	4665	533.3	600.4	0.405	12.84	12.94
5.810	4695	536.6	600.3	0.408	12.65	13.14
5.910	4727	540.0	600.1	0.408	12.30	12.92
6.011	4761	543.5	599.6	0.407	12.15	12.72
6.111	4800	547.2	598.7	0.406	12.16	12.87
6.211	4836	550.3	597.7	0.406	12.21	12.77
6.311	4872	553.4	596.5	0.407	12.42	12.64
6.411	4907	556.3	595.4	0.409	12.67	12.51
6.511	4942	559.2	594.3	0.412	12.67	12.62
6.611	4977	562.0	593.0	0.415	12.65	13.09
6.711	5012	564.5	591.6	0.418	12.90	13.13